### PATENT COOPERATION TREATY

INTERNATIONAL SEARCHING AUTHORITY				
To: G.E. EHRICH (1995)LTD. 11 MENACHEM BEGIN STREET 52521 RAMAT GAN ISRAEL			PCT	
		WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY		
		(PCT Rule 43bis.1)		
		Date of mailing (day/month/year)	13 MAY 20 <b>09</b>	
Applicant's or agent's file reference 45192		FOR FURTHER ACTION See paragraph 2 below		
International application No.	International filing date	(day/month/year)	Priority date (day/month/year)	
PCT/IL 08/01492	13 November 2008	(13.11.2008)	15 November 2007 (15.11.2007)	
International Patent Classification (IPC) o IPC(8) - C12M 3/00 (2009.01) USPC - 435/305.2	r both national classificat	tion and IPC		
Applicant SENG ENTERPRISES	LTD.			
This opinion contains indications rela	iting to the following iten	ns:		
Box No. I Basis of the opi	inion			
Box No. II Priority				
Box No. III Non-establishm	nent of opinion with regar	rd to novelty, inventive	e step and industrial applicability	
Box No. IV Lack of unity o	f invention			
Box No. V Reasoned stater citations and ex				
Box No. VI Certain docume	ents cited			
Box No. VII Certain defects	in the international applic	cation		
Box No. VIII Certain observa	tions on the international	I application		
2. FURTHER ACTION				
If a demand for international preliminary examination is made, this opinion will be considered to be a written opinion of the International Preliminary Examining Authority ("IPEA") except that this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notified the International Bureau under Rule 66.1bis(b) that written opinions of this International Searching Authority will not be so considered.				
If this opinion is, as provided above, considered to be a written opinion of the IPEA, the applicant is invited to submit to the IPEA a written reply together, where appropriate, with amendments, before the expiration of 3 months from the date of mailing of Form PCT/ISA/220 or before the expiration of 22 months from the priority date, whichever expires later.				
For further options, see Form PCT/ISA/220.				
3. For further details, see notes to Form PCT/ISA/220.				
Name and mailing address of the ISA/US	Date of completion of the	his opinion	Authorized officer:	
Mail Stop PCT, Attn: ISA/US Commissioner for Patents 30 April 2009 (30		04.2009)	Lee W. Young	
P.O. Box 1450, Alexandria, Virginia 22313-1450		<b>,</b>	PCT Helpdesk: 571-272-4300	

International application No.

PCT/IL 08/01492

Box	No. I	Basis of this opinion
1.	With r	egard to the language, this opinion has been established on the basis of:
	$\boxtimes$	the international application in the language in which it was filed.
		a translation of the international application into which is the language of a translation furnished for the purposes of international search (Rules 12.3(a) and 23.1(b)).
2.		This opinion has been established taking into account the rectification of an obvious mistake authorized by or notified to this Authority under Rule 91 (Rule 43bis.1(a))
3.		egard to any nucleotide and/or amino acid sequence disclosed in the international application, this opinion has been shed on the basis of:
	a. typ	e of material
		a sequence listing
		table(s) related to the sequence listing
	b. for	nat of material
		on paper
		in electronic form
	c. tim	e of filing/furnishing
		contained in the international application as filed
		filed together with the international application in electronic form
		furnished subsequently to this Authority for the purposes of search
	٠	
4.		In addition, in the case that more than one version or copy of a sequence listing and/or table(s) relating thereto has been filed or furnished, the required statements that the information in the subsequent or additional copies is identical to that in the application as filed or does not go beyond the application as filed, as appropriate, were furnished.
5	A dditi	onal comments:
٥.	Addition	ingt comments.
		·

International application No.

PCT/IL 08/01492

Box No. IV Lack of unity of invention			
1. In response to the invitation (Form PCT/ISA/206) to pay additional fees the applicant has, within the applicable time limit:			
paid additional fees			
paid additional fees under protest and, where applicable, the protest fee			
paid additional fees under protest but the applicable protest fee was not paid			
not paid additional fees			
2. This Authority found that the requirement of unity of invention is not complied with and chose not to invite the applicant to pay additional fees.			
3. This Authority considers that the requirement of unity of invention in accordance with Rule 13.1, 13.2 and 13.3 is			
complied with			
not complied with for the following reasons:  This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1. In order for all inventions to be examined, the appropriate additional examination fees must be paid.			
Group I: claims 1-11, 25-36 and 48-51, directed to a holding device for cells comprising an array of spaced picoliter wells, further wherein the holder may be translucent.  Group II: claims 12 and 13, directed to a method of forming a template for a picoliter well array.			
Group III: claims 14-24 and 37-47, directed to a method of forming a cell holding device having an array of picoliter wells.			
The inventions listed as Groups I - III do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:			
The special technical feature of the Group I claims is a holding device for cells comprising an array of spaced picoliter wells. The special technical feature of the Group II claims is a method of forming a template for a picoliter well array. These special technical feature of the Group III claims is a method of forming a cell holding device having an array of picoliter wells.			
The only common technical element shared by the above groups is that they are related to an array of wells having picoliter volume. This common technical element does not represent an improvement over the prior art of US 2004/0219074 A1 to Childers et al. (see para [0015], [0028]) Therefore, the inventions of Groups I-III lack unity of invention under PCT Rule 13 because they do not share a same or corresponding special technical feature.			
·			
4. Consequently, this opinion has been established in respect of the following parts of the international application:			
all parts			
the parts relating to claims Nos. 1-11, 25-36 and 48-51			

International application No.

PCT/IL 08/01492

Box No. V	Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability;
citations and explanations supporting such statement	

	1. Statement			
	Novelty (N)	Claims Claims	1-6, 11, 34-36 7-10, 25-33, 48-51	YES NO
-	Inventive step (IS)	Claims Claims	NONE 1-11, 25-36, 48-51	YES NO
	Industrial applicability (IA)	Claims Claims	1-11, 25-36, 48-51 NONE	YES NO

2. Citations and explanations:

Claims 7-10 lack novelty under PCT Article 33(2) as being anticipated by US 2005/0277125 A1 to Benn, et al. (hereinafter "Benn").

As to claim 7, Benn discloses a holding device (para [0076]-[0077]) for studying cells (para [0113]) comprising at least two defined regions (para [0142]; Fig 31):

(a) a pico liter well array region including a plurality of pico liter wells (para [0280]; Fig 6); and

(b) a non-cell holding region (para [0068]; Fig 6, part 64) in fluid communication (para [0159]; Fig 31) with said pico (iter well region (para [0280]), wherein fluid can be one or both added and removed from said non cell holding region without disturbing cells in said picowells (para [0081]-[0082]).

As to claim 8, Benn further discloses at least one fluid permeable (para [0099], [0110], disclosing porous reaction surfaces) barrier (para [0159], disclosing a blind hole; Fig 31, part 98) between said regions (Fig 31, part 98).

As to claim 9, Benn further discloses where the non-cell holding array has an embossed design (para [0170]).

As to claim 10, Benn further discloses where the pico liter well array is embossed (para [0170]).

Claims 25-33 and 48-51 lack novelty under PCT Article 33(2) as being anticipated by WO 2005/007796 A2 to Deutsch, et al. (hereinafter "Deutsch").

As to claim 25, Deutsch discloses a holding device (pg 6, ln 27-28, disclosing a holder) for studying cells (pg 1, ln 4-5) comprising:

— at least one cavity (pg 50, ln 14-19, disclosing picowells) adapted to receive a sample of cells (pg 49, ln 20-30) in a medium consisting essentially of water (pg 49, ln 3-19, disclosing 99% water solutions),

- the cavity having a substrate (pg 11, in 25-31) and a generally inert wall (pg 10, in 18-26, disclosing a wall made of ceramic, metals, plastics, or rubber),

- wherein the substrate includes a surface for receiving the medium (pg 12, in 1-15), and
- wherein the surface includes a multiplicity of pico liter wells (pg 12, in 1-15; Fig 10A-10C) and is characterized in that
- the substrate is substantially translucent (pg 17, in 19-26) and
- -- has a refractive index equal to the refractive index of the medium (pg 12, in 1-15).

As to claim 26, Deutsch further discloses where the medium comprises water (pg 49, In 3-19, disclosing 99% water solutions) and wherein the substrate has a Refractive index of 1.33 (pg 12, In 10-15).

As to claim 27, Deutsch further discloses where the substrate is moldable (pg 33, In 16-20, disclosing a device made through molding).

As to claim 28, Deutsch further discloses where the substrate is inert (pg 45, in 4-14).

As to claim 29, Deutsch further discloses where the holding device is a carrier plate (pg 6, In 24 to pg 7, In 3) and wherein a first adhesive is disposed between the carrier plate and the substrate (pg 43, In 5-11; Fig 15A-15C).

As to claim 30, Deutsch further discloses a second adhesive disposed between the generally inert wall and the substrate (pg 42, ln 20-28; Fig 14A-14C).

19 191 110).
As to claim 31, Deutsch further discloses where at least one of the substrate, the first adhesive and the second adhesive are UV-light curable (pg 42, in 20-28, disclosing light-curable adhesive 3051).
As to claim 32, Deutsch further discloses where the first adhesive and the second adhesive are acrylic (pg 42, In 20-28, disclosing light-curable adhesive 3051, an acrylic adhesive).
**************************************
Form PCT/ISA/237 (Box No. V) (April 2007)

International application No.

PCT/IL 08/01492

### Supplemental Box

In case the space in any of the preceding boxes is not sufficient.

Continuation of: BOX V(2):

As to claim 33, Deutsch further discloses a light source transmitting the UV-light through a bottom surface of the at least one cavity (pg 42, In 20-28; Fig 14B).

As to claim 48, Deutsch discloses a holding device (pg 6, In 27-28, disclosing a holder) for studying cells (pg 1, In 4-5) comprising:

- a layer (pg 12, ln 1-15) of substantially transparent substrate material (pg 17, ln 19-26);
- having a multiplicity of pico liter wells (pg 12, in 1-15; Fig 10A-10C);
- -- having a refractive index of 1.33 (pg 12, ln 10-15); and,
- -- a wall structure attached to the substrate (Fig 15A-15C).

As to claim 49, Deutsch further discloses where the substrate is UV-light curable (pg 13, ln 8-20; pg 39, ln 12-18).

As to claim 50, Deutsch further discloses a first adhesive disposed between the wall structure and the substrate (pg 43, In 5-11; Fig 15A-15C).

As to claim 51. Deutsch further discloses

Control of the Contro

- -- a substantially transparent carrier plate (pg 6, ln 23-27; pg 17, ln 19-26; Fig 13-16);
- -- having a plurality of cavities (pg 50, In 14-19, disclosing picowells) surrounded by walls formed in a first surface of the carrier plate (Fig 13-16).
- wherein the layer of substantially transparent substrate material is disposed on the carrier plate (pg 6, In 23-27; pg 17, In 19-26; Fig 13-

Claims 1-6 and 11 lack an inventive step under PCT Article 33(3) as being obvious over Benn in view of US 2005/0026299 A1 to Bhattacharjee, et al. (hereinafter "Bhattacharjee").

As to claim 1, Benn discloses a holding device (para [0076]-[0077]) for studying cells (para [0113]) comprising a spaced apart (para [0279]) pico liter wells (para [0280]). Benn does not specifically disclose a plurality of arrays. Bhattacharjee discloses a holding device for studying cells (Abstract, para [0066]) comprising a pluratity of arrays (para [0007]; Fig 4, 5, 11B). It would have been obvious to a skilled artisan to combine the Benn and Bhattacharjee disclosures by using a plurality of the arrays taught by Benn on a holder. A skilled artisan would have been motivated to combine the references by the Bhattacharjee disclosure, suggesting such a configuration will provide benefits in fluid handling (para [0008]).

As to claim 2, Benn further discloses where the pico liter well arrays comprise embossed regions (para [0170]).

As to claim 3, Benn further discloses pico liter well arrays (para [0280]). Bhattacharjee further discloses at least one barrier (para [0049], disclosing scores; Fig 11B) between two arrays (Fig 11B).

As to claim 4, Benn further discloses where the arrays are arranged in a two dimensional repeating pattern (para [0295]; Fig 19).

As to claim 5, Bhattacharjee further discloses where the arrays include at least two different well array designs (para [0011]; Fig 1, 2).

As to claim 6, Benn further discloses where the device includes at least one non-well embossed region (para [0158], disclosing a transfer plate) fluidically connected to at least one of said arrays (para [0159]).

As to claim 11, Benn further discloses pico liter well arrays (para [0280]). Benn does not specifically disclose a plurality of well array regions. Bhattacharjee discloses a holding device for studying cells (Abstract; para [0066]) comprising a plurality of well array regions (para [0007]; Fig 4, 5, 11B). It would have been obvious to a skilled artisan to combine the Benn and Bhattacharjee disclosures by using a plurality of the array regions taught by Benn on a holder. A skilled artisan would have been motivated to combine the references by the Bhattacharjee disclosure, suggesting such a configuration will provide benefits in fluid handling (para [0008]).

Claims 34 and 35 lack an inventive step under PCT Article 33(3) as being obvious over Deutsch in view of US 4,684,538 A (Klemarczyk).

As to claim 34, Deutsch does not specifically disclose where the substrate is exposed to UV-light under vacuum pressure. Klemarczyk discloses an adhesive that is attached to a substrate (col 1, In 50-62), where the adhesive is cured by exposing it to the UV-light (col 13, In 62 to col 14, In 4) under vacuum pressure (col 14, In 7-25). It would have been obvious to a skilled artisan to combine the Deutsch and Klemarczyk disclosure by curing the adhesive taught by Deutsch under UV light and vacuum pressure. A skilled artisan would have been s by the Deutsch disclosure, suggesting the use of a light-curable adhesive (pg 42, in 20-28).

į	Michigated to compline the references by the Doublet discrete and the D
, , , , , , , , , , , , , , , , , , , ,	As to claim 35, neither Deutsch nor Klemarczyk specifically discloses where the vacuum pressure is in the range of 0.3-0.5 mmHg. However, such a range would have been obvious to a skilled artisan practicing the Deutsch and Klemarczyk disclosures through normal experimentation. A skilled artisan would have been motivated to use such a range in order to cure certain adhesives with different properties than those disclosed by Klemarczyk.
	**************************************
]	Form PCT/ISA/237 (Supplemental Box) (April 2007)

International application No. PCT/IL 08/01492

Supplemental Box		
In case the space in any of the preceding boxes is not sufficient.  Continuation of: BOX V(2) and the preceding Supplemental Sheet:		
Claim 36 lacks an inventive step under PCT Article 33(3) as being obvious over Deutsch i (hereinafter "Bassemir").	in view of US 3,558,387 A to Bassemir, et al	
As to claim 36, Deutsch does not specifically disclose where the substrate is exposed to the UV-light under inert gas. Bassemir discloses a curing adhesive (col 4, In 58-69) where an adhesive is exposed to the UV-light (col 2, In 52-58) under inert gas (col 3, In 65-68). It would have been obvious to a skilled artisan to combine the Deutsch and Bassemir disclosures by using method disclosed by Bassemir with the light-curing adhesive taught by Deutsch. A skilled artisan would have been motivated to use such a method by the Bassemir disclosure, suggesting that curing the adhesive in an inert atmosphere reduces curing time (col 4, In 32-34).		
Claims 1-11, 25-36, and 48-51 have industrial applicability as defined by PCT Article 33(4) because the subject matter can be made or used in industry.		
	,	
·		